IB-MP3012DVB-T

DVB-T, HDD and Network Multimedia Player and Recorder

Key features

- Stylish enclosure
- Powerful Media Chip RealTek RTD1283 inside
- Supports 3.5" SATA HDD up to 2 TB capacity
- DVB-T MPEG2 and MPEG4 (HD) and EPG (Electronic Programm Guide)
- Recording- and Timeshift function
- Network support via LAN 10/100 Mbps and WiFi iEEE802.11n standard (optional WiFi USB dongle required
- Including DTS, Dolby Digital, Dolby True HD, WMA and AAC downmix support
- Supports Internet functions like BT download and RSS Feeds (i.e Flickr, Picasa, News, Weather)
- Supports copy function from and to network-devices, internal HDD or USB-storage devices

RaidSonic Technology GmbH • Kurt-Fischer-Straße 50 • 22926 Ahrensburg / Germany
Telefon: +49-(0)4102 – 468 900 (Vertrieb) • Fax: +49-(0)4102 – 468 901 • www.raidsonic.de
Offers and deliveries are only done under our General Terms and Conditions. Errors and omissions excepted.

RaidSonic
STORAGE SOLUTIONS WITHOUT LIMITS

Receive and Record in HD (High Definition)

DVB-T in HD, in some countries it is already standard, in others it is the standard of the future. The tuner of this media recorder receives normal (SD) DVB-T as well as high resolution (HD) DVB-T. You can record broadcasts in their original standard or lower, even analogous, with the IB-MP3012.

Technical data	
Model	IB-MP3012DVB-T
Article No. / EAN code	25313 / 4250078184249
Colour	Black
Brand	ICY BOX
Material	Metal/plastic
HDD interface	3.5" SATA up to 2 TB
Article text	DVB-T, HDD and Network Multimedia Player and Recorder
Processor	Realtek RTD1283
Network support	LAN 10/100 Mbps, RJ-45, WLAN up to WiFi iEEE802.11n (optional WiFi USB dongle required)
Network protocol	SAMBA (SMB), UPnP
Web support	BT Unterstützung, RSS Feeds (i.e Flickr, Picasa, News, Weather)
File system	NTFS/FAT32
External audio interface	Stereo L/R, SPDIF (optical/coaxial)
External data interface	2x USB 2.0 Host, 1x USB 2.0 Device
External video interface	Composite out, Component out, HDMI 1.3a out, A/V in (mini jack) Antenna in
Video formats	AVI/MKV/TS/M2TS/MPG/MP4/MOV/VOB/ ISO/IFO/DAT/WMV/RM/RMVB, FLV resolution up to 720p/1080i/1080p

Subtitle formats	SRT, SMI, SSA, SUB, ASS, IDX+SUB
Subtitle Codes	UNICODE (UTF8), Western, Turkish, Central European, Greek, Cyrillic, SE European, Traditional Chinese (BIG5), Simple Chinese (GBK)
Language support	German, English, Italian, Dutch, Russian, Chinese, French, Spanish, Portuguese
Audio formats	MP3/OGG Vorbis/WMA/WAV/ASF, AAC, MP4, M3U (Playlist)
Picture formats	HD-JPEG, JPG, BMP, PNG, GIF, TIF, TIFF
DTV	System: DVB-T 170~230, 470~862 MHz Bandwidth: 6/7/8 MHz Modulation: QPSK, 16QAM, 64QAM Sensitivity: -75 +/-1 dBm Function: EPG, Teletext Record: Timer recording, One Touch Recording, Timeshifting
Analog Recording	Resolution: NTSC/PAL Record Quality: HQ, SP, LP, EP, SLP Function: Timer recording, One Touch Recording, Timeshifting
Power connector	Wall power supply: AC 100-240 V, 50-60 Hz, 0.7 A, DC 12 V, 2 A
Fan	1x 40x40 mm

Packing content: 1x IB-MP3012DVB-T, 1x wall power supply, 1x A/V cable (mini jack to chinch), 1x Audio cable (chinch), 1x remote controll, 2x remote batteries (AAA), 1x quick installation guide (English), 1x user manual (English)

RaidSonic Technology GmbH • Kurt-Fischer-Straße 50 • 22926 Ahrensburg / Germany
Telefon: +49-(0)4102 – 468 900 (Vertrieb) • Fax: +49-(0)4102 – 468 901 • www.raidsonic.de
Offers and deliveries are only done under our General Terms and Conditions. Errors and omissions excepted.

RaidSonic
STORAGE SOLUTIONS WITHOUT LIMITS

Front view



1. IR sensor
2. Power/Standby button
3. HDD indicator
4. Recording button
5. USB 2.0 port for external devices
6. USB 2.0 port for PC connection

Rear view



1. HDMI output
2. Component YPbPr
3. Video (CVBS)
4. Audio L/R
5. S/PDIF
6. Ethernet port
7. USB 2.0 for external devices
8. Power connector
9. AV In
10. Antenna In
11. Fan

Logistical data

Packing unit:	10 pcs./carton	Dimension / carton:	560x525x205 mm	Import tax:	84733080
Total weight:	18 kg/carton	Dimension (incl. packing):	250x180x107 mm		
Gross weight (inc. packing):	1.607 kg	Dimension from article:	205x54x150 mm		
Net weight:	0.8 kg	Country of origin:	China		

RaidSonic Technology GmbH • Kurt-Fischer-Straße 50 • 22926 Ahrensburg / Germany
Telefon: +49-(0)4102 – 468 900 (Vertrieb) • Fax: +49-(0)4102 – 468 901 • www.raidsonic.de
Offers and deliveries are only done under our General Terms and Conditions. Errors and omissions excepted.

RaidSonic
STORAGE SOLUTIONS WITHOUT LIMITS